



50 t Rough Terrain Crane



All information given are for reference only.

General Information

Hydraulic Truck Cranes

Crawler Cranes

Carry Decks

Rough Terrain Cranes

Rigging Equipment

Aerial Lifts

Transportation

50 t Rough Terrain Crane

LINK BELT RTC 8050 II



General Information

Hydraulic Truck Cranes

Crawler Cranes


Carry Decks

Rough Terrain Cranes

Rigging Equipment

Aerial Lifts


Transportation



All information given are for reference only.


 35.5-110 ft


 12,500 lbs


 22'6" x 22'6"


 360°

85
 85%

General Information

Hydraulic Truck Cranes

Crawler Cranes

Carry Decks

Rough Terrain Cranes

Rigging Equipment

Aerial Lifts

Transportation

ft	35.5	40	50	60	70	80	90	100	110	ft
10	100	78.4	72.6							10
12	73.9	73.1	65.6	50.9*	37.9					12
15	63.2	63	57.5	46.9*	37.9	35.4				15
20	50.3	50.1	47.6	39.2*	37.9	34.7	28.9			20
25	39	38.9	38.5	37.9	37.9	34.2	28.2	24	19.5	25
30		31.3	31.9	32.3	32.5	30.3	24.8	22.5	19.5	30
35			26.1	26.5	26.7	26.9	22	19.9	18.3	35
40			20.8	21.2	21.4	21.5	19.7	17.8	16.4	40
45				17.1	17.3	17.4	17.5	15.9	14.6	45
50				13.9	14.2	14.3	14.4	14.4	13.2	50
55					11.9	12.1	12.2	12.2	12.1	55
60					10	10.2	10.3	10.3	10.4	60
65						8.6	8.7	8.8	8.9	65
70						7.3	7.5	7.5	7.6	70
75							6.4	6.5	6.5	75
80							5.4	5.5	5.6	80
85								4.7	4.8	85
90								4	4.1	90
95									3.5	95
100									2.9	100

* 60.3 ft A-max Mode

All information given are for reference only.

50 t Rough Terrain Crane

LINK BELT RTC 8050 II



General Information



110 ft



28.5/51 ft



12,500 lbs



22'6"x22'6"



360°

85

85%

Hydraulic Truck Cranes

Crawler Cranes

Carry Decks

Rough Terrain Cranes

Rigging Equipment

Aerial Lifts

Transportation

ft	2°	28.5 20°	40°	2°	51 20°	40°	ft
35	9.4						35
40	9.4						40
45	9.4	9.5		6.2			45
50	9.4	9.1	7.5	6.2			50
55	9.2	8.4	7.3	6.2			55
60	8.5	7.8	7.1	6.2	4.8		60
65	7.9	7.3	6.9	6	4.6		65
70	7.3	6.8	6.5	5.7	4.4		70
75	6.8	6.4	6.1	5.3	4.3	3.4	75
80	6.2	6	5.8	4.9	4.1	3.4	80
85	5.3	5.7	5.5	4.6	4	3.3	85
90	4.6	5	5.2	4.3	3.8	3.2	90
95	4	4.3	4.6	4	3.7	3.2	95
100	3.5	3.7	3.9	3.8	3.5	3.1	100
105	3	3.2	3.3	3.5	3.3	3.1	105
110	2.5	2.7	2.8	3	3.2	3	110
115	2.1	2.3		2.6	3	2.9	115
120				2.2	2.6	2.8	120
125					2.2	2.4	125
130					1.9	2	130

All information given are for reference only.