



65 t Rough Terrain Crane



All information given are for reference only.

General Information

Hydraulic Truck Cranes

Crawler Cranes

Carry Decks

Rough Terrain Cranes

Rigging Equipment

Aerial Lifts

Transportation

65 t Rough Terrain Crane

LINK BELT RTC 8065 II



General Information

Hydraulic Truck Cranes

Crawler Cranes


Carry Decks

Rough Terrain Cranes

Rigging Equipment

Aerial Lifts

Transportation



All information given are for reference only.


 38-115 ft


 12,000 lbs


 24'x24'


 360°

85

 85%

General Information

Hydraulic Truck Cranes

Crawler Cranes

Carry Decks

Rough Terrain Cranes

Rigging Equipment

Aerial Lifts

Transportation

ft	38	45	55	63.6/65	75	85	95	105	115	ft
9	130									9
10	120	108.2	106.1							10
12	108.9	104.6	98.1	71.9*						12
15	91.6	91.2	86.2	71.9*	54					15
20	67.1	66.8	66.4	66.1*	54	55.9	46.4			20
25	52	52.6	53	53	53.7	49.9	41.8	36.2	28.1	25
30	41.8	42.5	43	43.4	43.6	43.8	37.8	34.2	28.1	30
35		33.3	33.9	34.2	34.4	34.6	34	30.7	28.1	35
40			26.4	26.7	26.9	27.1	27.2	27.3	25.7	40
45			21.2	21.6	21.8	22	22.1	22.1	22.2	45
50				17.7	18	18.1	18.2	18.3	18.3	50
55				14.8	15	15.1	15.2	15.3	15.4	55
60					12.7	12.8	12.9	13	13	60
65					10.8	11	11.1	11.2	11.2	65
70						9.4	9.5	9.6	9.7	70
75						8.1	8.2	8.3	8.3	75
80							7.1	7.1	7.2	80
85							6.1	6.2	6.2	85
90								5.3	5.4	90
95								4.6	4.6	95
100									4	100
105									3.4	105

* 63.6 A - max Mode

All information given are for reference only.

65 t Rough Terrain Crane

LINK BELT RTC 8065 II



38-85 ft



12,000 lbs



on tires



over front

75

75%

ft	38	45	55	65	75	85	ft
10	64						10
12	56.8	56.4					12
15	48.5	48.9	39.5				15
20	38.4	39.1	39.5	30.4			20
25	29	29.7	30.1	30.4	22.4		25
30	20.6	21.4	21.9	22.2	22.4	17.2	30
35		16	16.6	16.9	17.1	17.2	35
40			12.9	13.3	13.4	13.6	40
45			10.2	10.6	10.8	11	45
50				8.5	8.8	8.9	50
55				6.8	7.1	7.3	55
60					5.7	5.9	60
65					4.6	4.8	65
70						3.9	70
75						3.1	75

General Information

Hydraulic Truck Cranes

Crawler Cranes

Carry Decks

Rough Terrain Cranes

Rigging Equipment

Aerial Lifts

Transportation

All information given are for reference only.


 115 ft


 35/58 ft


 12,000 lbs


 24'x24'


 360°

85
 85%

General Information

Hydraulic Truck Cranes

Crawler Cranes

Carry Decks

Rough Terrain Cranes

Rigging Equipment

Aerial Lifts

Transportation

All information given are for reference only.

ft	35				58				ft
	2°	15°	30°	45°	2°	15°	30°	45°	
35	13.1								35
40	13.1								40
45	13.1	11.8			8.8				45
50	12.9	11.5			8.7				50
55	12.6	11.2	9.9		8.4				55
60	12.3	11	9.7	8.9	8.2	7.1			60
65	12	10.7	9.5	8.8	8	6.9			65
70	10.6	10.4	9.4	8.7	7.7	6.7			70
75	9.2	9.8	9.2	8.6	7.5	6.5	5.6		75
80	8	8.6	9.1	8.6	7.2	6.3	5.5		80
85	7	7.5	8	8.4	7	6.1	5.3	4.9	85
90	6.2	6.6	7	7.3	6.7	5.9	5.2	4.8	90
95	5.4	5.8	6.2	6.4	5.9	5.7	5.1	4.7	95
100	4.7	5.1	5.4	5.6	5.2	5.6	5	4.7	100
105	4.1	4.4	4.7	4.9	4.6	5.2	4.9	4.7	105
110	3.6	3.9	4.1	4.2	4.1	4.6	4.9	4.6	110
115	3.1	3.3	3.5	3.6	3.6	4	4.5	4.6	115
120	2.6	2.9	3		3.1	3.5	3.9	4.2	120
125	2.2	2.4	2.5		2.7	3.1	3.4	3.7	125
130	1.9	2	2.1		2.3	2.7	3	3.2	130
135	1.5	1.6			2	2.3	2.5	2.7	135
140	1.2	1.3			1.6	1.9	2.2	2.2	140
145					1.4	1.6	1.8		145
150					1.1	1.3	1.4		150
155					0.8	1	1.1		155

65 t Rough Terrain Crane

LINK BELT RTC 8065 II



General Information



115 ft



74/90 ft



12,000 lbs



24'x24'



360°

85

85%

Hydraulic Truck Cranes

Crawler Cranes

Carry Decks

Rough Terrain Cranes

Rigging Equipment

Aerial Lifts

Transportation

ft	74				90				ft
	2°	15°	30°	45°	2°	15°	30°	45°	
50	7.2								50
55	7.2				5.5				55
60	7.2				5.5				60
65	7	5.9			5.4				65
70	6.5	5.6			5	4.5			70
75	6.1	5.3			4.7	4.2			75
80	5.8	5	4.2		4.3	3.9			80
85	5.4	4.7	4		4.1	3.6	3.2		85
90	5.1	4.5	3.8	3.4	3.8	3.4	3		90
95	4.9	4.3	3.7	3.3	3.6	3.2	2.9	2.6	95
100	4.6	4.1	3.5	3.2	3.3	3	2.7	2.5	100
105	4.4	3.9	3.4	3.1	3.1	2.8	2.5	2.3	105
110	4	3.7	3.2	3	2.9	2.7	2.4	2.2	110
115	3.5	3.5	3.1	2.9	2.8	2.5	2.3	2.1	115
120	3	3.4	3	2.8	2.6	2.4	2.1	2	120
125	2.6	3	2.9	2.7	2.5	2.2	2	1.9	125
130	2.2	2.6	2.8	2.7	2.2	2.1	1.9	1.8	130
135	1.9	2.2	2.5	2.6	1.9	2	1.8	1.7	135
140	1.5	1.8	2.2	2.3	1.5	1.9	1.7	1.6	140
145	1.2	1.5	1.8	1.9	1.2	1.5	1.6	1.6	145
150	1	1.2	1.4	1.6		1.2	1.5	1.5	150
155		0.9	1.1			0.9	1.2	1.4	155
160			0.8				0.9	1	160

All information given are for reference only.