



360 t All Terrain Crane



All information given are for reference only.

General Information

Hydraulic Truck Cranes

Crawler Cranes

Carry Decks

Rough Terrain Cranes

Rigging Equipment

Aerial Lifts

Transportation

General Information

Hydraulic Truck Cranes

Crawler Cranes


Carry Decks

Rough Terrain Cranes

Rigging Equipment

Aerial Lifts

Transportation



All information given are for reference only.



49-197 ft



247,500 lbs



29'x27'11"



360°

85
85%

All information given are for reference only.

ft	49	66	83	100	117	134	151	168	185	197	ft
14			368								14
15	389	368	364								15
16	373	367	351								16
17	359	359	339	290							17
18	346	345	328	282							18
20	320	320	306	266	216						20
22	297	297	288	252	206						22
24	277	277	270	239	196	172					24
26	258	258	254	226	187	165					26
28	243	243	240	215	179	159	137				28
30	228	228	226	204	171	153	132	112			30
32	216	215	213	194	164	147	127	109			32
34	204	204	202	186	158	141	123	106	88.5		34
36	194	194	192	177	152	136	119	103	86.5		36
38	184	183	181	169	146	131	115	100	84.5		38
40		174	172	161	140	126	111	97.5	82.5	73.5	40
45		153	152	146	128	115	102	90.5	78	71	45
50		137	135	133	118	105	93.5	84	73.5	67	50
55		123	121	121	109	97	86.5	78	69.5	63.5	55
60			109	111	101	90	80	72.5	65	60.5	60
65			99	101	93.5	84	74	67.5	61.5	57.3	65
70			91	92.5	87.5	78.5	69.5	63	58.2	54.2	70
75				85	82	73.5	65	59.2	55	51.2	75
80				78.5	77	68.5	61	55.8	51.9	48.3	80
85				73	72	64.5	57.1	52.6	49.1	45.7	85
90				68	68.5	60.5	54.1	49.6	46.4	43.4	90
95					64.5	56.9	51.2	46.7	43.9	41.2	95
100					61	53.5	48.5	44.1	41.6	39.1	100
105						50.8	45.9	41.9	39.3	37.1	105
110						48.2	43.4	39.8	37.5	35.3	110
115						45.8	41.3	37.9	35.8	33.6	115
120						43.8	39.3	36	34.1	32.2	120
125							37.4	34.2	32.5	30.7	125
130							35.7	32.8	31	29.4	130
135							34.3	31.5	29.5	28.1	135
140							31.9	30.1	28.2	26.8	140
145								28.7	27.2	25.6	145
150								27.4	26.2	24.4	150
155								26.4	25.3	23.6	155
160									24.3	22.7	160
165									23.4	21.9	165
170									22.4	21	170
175									21.4	20.2	175
180										19.4	180
185										17.6	185
190										13.3	190

General Information

Hydraulic Truck Cranes

Crawler Cranes

Carry Decks

Rough Terrain Cranes

Rigging Equipment

Aerial Lifts

Transportation

360 t All Terrain Crane

LIEBHERR LTM 1300/1



49-197 ft



192,500 lbs



29'x27'11"



360°

85

85%

General Information

Hydraulic Truck Cranes

Crawler Cranes

Carry Decks

Rough Terrain Cranes

Rigging Equipment

Aerial Lifts

Transportation

ft	49*	49	66	83	100	117	134	151	168	185	197	ft
10	704	481										10
11	558	459										11
12	477	437	368									12
13	457	417	368									13
14	437	399	368	368								14
15	417	381	367	364								15
16	399	365	361	351								16
17	381	350	350	339	290							17
18	364	336	336	328	282							18
20	331	309	309	306	266	216						20
22	302	287	287	284	252	206						22
24	276	267	267	265	239	196	172					24
26	254	249	248	247	226	187	165					26
28	236	233	233	231	215	179	159	137				28
30	219	218	218	216	204	171	153	132	112			30
32	205	204	204	203	194	164	147	127	109			32
34	192	192	192	191	186	158	141	123	106	88.5		34
36	182	182	182	180	177	152	136	119	103	86.5		36
38	171	171	171	169	169	146	131	115	100	84.5		38
40			161	160	161	140	126	111	97.5	82.5	73.5	40
45			141	140	142	128	115	102	90.5	78	71	45
50			126	124	126	118	105	93.5	84	73.5	67	50
55			113	111	113	109	97	86.5	78	69.5	63.5	55
60				100	102	101	90	80	72.5	65	60.5	60
65				90.5	92.5	93.5	84	74	67.5	61.5	57.3	65
70				82.5	84.5	86.5	78.5	69.5	63	58.2	54.2	70
75					77	79.5	73.5	65	59.2	55	51.2	75
80					70.5	73	68.5	61	55.8	51.9	48.3	80
85					67	67	64.5	57.1	52.6	49.1	45.7	85
90					63.5	62	59.7	54.1	49.6	46.4	43.4	90
95						57.6	55.2	51.2	46.7	43.9	41.2	95
100						53.6	52.1	48.5	44.1	41.6	39.1	100
105							49.5	45.9	41.9	39.3	37.1	105
110							46.2	43.4	39.8	37.5	35.3	110
115							43.3	40.9	37.9	35.8	33.6	115
120							40.6	38.6	36	34.1	32.2	120
125								37.1	34.2	32.5	30.7	125
130								35.7	32.8	31	29.4	130
135								34.1	31.5	29.5	28.1	135
140								31.6	30	28.2	26.8	140
145									28.4	27.2	25.6	145
150									27.4	26.2	24.4	150
155									26.4	25.3	23.6	155
160										24.3	22.7	160
165										23.3	21.9	165
170										21.9	21	170
175										20.8	20.2	175
180											19.3	180
185											17.5	185
190											13.3	190

* over rear

All information given are for reference only.

All information given are for reference only.

General Information

Hydraulic Truck Cranes

Crawler Cranes


Carry Decks

Rough Terrain Cranes

Rigging Equipment

Aerial Lifts

Transportation



360 t All Terrain Crane

LIEBHERR LTM 1300/1



100-197 ft



247,500 lbs



29'x27'11"



360°

85

85%

General Information

Hydraulic Truck Cranes

Crawler Cranes

Carry Decks

Rough Terrain Cranes

Rigging Equipment

Aerial Lifts

Transportation

ft	100	117	134	151	168	185	197	ft
24	267	223	183					24
26	254	219	180					26
28	241	216	178	143				28
30	228	212	175	142	115			30
32	215	208	173	140	114			32
34	204	201	171	138	113	92.5		34
36	193	191	168	137	111	92		36
38	183	181	165	135	110	91		38
40	173	172	162	133	109	90.5	75	40
45	153	155	154	129	106	88.5	75	45
50	137	140	140	125	104	86.5	74.5	50
55	122	125	126	119	101	84.5	73.5	55
60	110	113	114	114	98	83	72.5	60
65	99.5	102	103	104	95	81	71	65
70	90.5	93.5	94.5	95.5	92	79	69.5	70
75	83	86	86.5	88	86.5	77	68	75
80	76	79	79.5	81	81	75.5	66.5	80
85	69.5	72.5	73	74.5	76.5	73.5	65	85
90	64	67	67.5	69	71	69	63.5	90
95		62	62.5	64	66	64.5	62.5	95
100		57.5	58	59.4	61.5	59.9	59.9	100
105			53.9	55.3	57.3	55.7	55.8	105
110			50.2	51.6	53.7	52.1	52.1	110
115			46.8	48.2	50.3	48.7	48.8	115
120			43.7	45.1	47.1	45.5	45.6	120
125				42.2	44.2	42.6	42.7	125
130				39.5	41.6	40	40.1	130
135				37.1	39.1	37.5	37.6	135
140				31.9	36.8	35.2	35.4	140
145					34.6	33.1	33.2	145
150					32.6	31.1	31.2	150
155					30.8	29.2	29.3	155
160						27.4	27.5	160
165						25.7	25.8	165
170						24.1	24.2	170
175							22.8	175
180							21.4	180

All information given are for reference only.


 100-197 ft


 192,500 lbs


 29'x27'11"


 360°

85
 85%

All information given are for reference only.

ft	100	117	134	151	168	185	197	ft
17	303							17
18	300							18
20	292	232						20
22	280	227						22
24	266	223	183					24
26	250	219	180					26
28	234	216	178	143				28
30	219	211	175	142	115			30
32	206	203	173	140	114			32
34	195	193	171	138	113	92.5		34
36	184	183	168	137	111	92		36
38	173	172	165	135	110	91		38
40	163	166	161	133	109	90.5	75	40
45	142	145	145	129	106	88.5	75	45
50	126	129	130	124	104	86.5	74.5	50
55	112	115	116	116	101	84.5	73.5	55
60	101	104	104	106	97.5	83	72.5	60
65	91	94	94.5	96	93.5	81	71	65
70	82	85.5	86	87.5	87.5	79	69.5	70
75	74.5	77.5	78.5	79.5	82	76.5	68	75
80	67.5	71	71.5	72.5	75	73	66.5	80
85	61.5	64.5	65	66.5	69	67	65	85
90	56.2	59.4	59.9	61.5	63.5	62	61.5	90
95		57.1	55.2	56.6	58.8	57.1	57.1	95
100		55.2	50.9	52.3	54.4	52.7	52.8	100
105			46.9	48.3	50.5	48.8	48.9	105
110			43.5	44.9	47	45.3	45.4	110
115			40.3	41.7	43.8	42.2	42.2	115
120			37.4	40.5	40.9	39.2	39.3	120
125				38.7	38.1	36.5	36.5	125
130				36.2	35.6	34	34.1	130
135				33.9	33.3	31.7	31.8	135
140				30.7	31.2	29.6	29.6	140
145					29.2	27.6	27.7	145
150					27.3	25.7	25.8	150
155					25.6	24	24.1	155
160						22.4	22.5	160
165						20.8	20.9	165
170						19.4	19.5	170
175							18.1	175
180							16.8	180

General Information

Hydraulic Truck Cranes

Crawler Cranes

Carry Decks

Rough Terrain Cranes

Rigging Equipment

Aerial Lifts

Transportation

General Information

Hydraulic Truck Cranes

Crawler Cranes


Carry Decks

Rough Terrain Cranes

Rigging Equipment

Aerial Lifts

Transportation



All information given are for reference only.


 151-197 ft


 40 ft


 192,500 lbs


 29'x27'11"


 360°

85
 85%

All information given are for reference only.

ft	151			168			185			197			ft
	0°	20°	40°	0°	20°	40°	0°	20°	40°	0°	20°	40°	
34	50.9												34
36	50.9												36
38	50.9												38
40	50.9			50.9									40
45	50.9			50.9									45
50	50.9	40.5		50.9			47.4			43.6			50
55	50.9	38.8	28	50.9	38.1		45.5			42.1			55
60	50.9	37.2	27.3	50.6	36.7	27.1	43.7	35.4		40.6	34.6		60
65	50.9	35.8	26.7	49	35.4	26.5	41.8	34.3		39.2	33.6		65
70	49.6	34.4	26.1	47.4	34.2	26	39.9	33.3	25.7	37.6	32.6	25.4	70
75	48	33.2	25.5	45.8	33.1	25.5	38.1	32.3	25.2	36	31.8	25	75
80	46	32.2	25	44	32.1	25	36.5	31.4	24.8	34.5	30.9	24.6	80
85	43.7	31.1	24.6	41.8	31.1	24.6	34.9	30.6	24.4	33.2	30.2	24.2	85
90	41.9	30.2	24.2	39.8	30.3	24.2	33.5	29.8	24	31.9	29.2	23.9	90
95	40.2	29.3	23.9	38	29.5	23.9	32.1	28.9	23.7	30.7	28.2	23.6	95
100	38.5	28.4	23.5	36.3	28.7	23.6	30.8	28	23.5	29.5	27.2	23.3	100
105	37	27.6	23.2	34.7	28	23.3	29.7	27.2	23.2	28.3	26.3	23	105
110	35.5	27	23	33.2	27.3	23	28.5	26.4	23	27.3	25.4	22.8	110
115	34.1	26.4	22.8	31.6	26.7	22.8	27.5	25.6	22.7	26.2	24.6	22.6	115
120	32.7	25.8	22.6	30	26.2	22.7	26.5	24.8	22.5	25.2	23.9	22.4	120
125	31.3	25.3	22.4	28.5	25.7	22.5	25.5	24.1	22.3	24.2	23.2	22.2	125
130	29.7	24.8	22.3	27.1	25.2	22.4	24.5	23.4	22.1	23.3	22.4	21.9	130
135	28.4	24.3	22.2	25.7	24.8	22.2	23.6	22.7	21.8	22.2	21.8	21.3	135
140	27.3	23.9	22.2	24.5	24.3	22.1	22.6	22.1	21.4	21.2	21.2	20.8	140
145	26.2	23.8	22.2	23.5	23.6	21.9	21.8	21.4	21.1	20.2	20.5	20.3	145
150	25.2	23.7	22.2	22.5	22.5	21.7	20.8	20.7	20.5	19.3	19.7	19.8	150
155	24.2	23.6	22.2	21.6	21.6	21.4	19.9	20	20	18.4	18.8	19.2	155
160	23	23	22.2	20.7	20.7	20.9	19	19.3	19.4	17.6	18	18.4	160
165	21.6	22		19.8	19.8	20	18.2	18.5	18.7	16.8	17.2	17.5	165
170	20.3	20.8		19	19	19.2	17.3	17.7	17.9	16	16.4	16.7	170
175	19	19.4		18.2	18.3	18.3	16.5	17	17.1	15.3	15.7	16	175
180				17.4	17.5		15.8	16.3	16.3	14.6	15	15.2	180
185				16.6	16.7		15.2	15.6	15.7	13.9	14.3	14.5	185
190				15.5	15.9		14.6	14.9	15	13.4	13.6	13.9	190
195				14.3			14	14.2		12.8	12.9	13.2	195
200							13.5	13.6		12.3	12.3	12.5	200
205							12.9	13		11.7	11.7		205
210										11.2	11.2		210
215										10.7	10.6		215
220										10.1			220

General Information

Hydraulic Truck Cranes

Crawler Cranes

Carry Decks

Rough Terrain Cranes

Rigging Equipment

Aerial Lifts

Transportation

360 t All Terrain Crane

LIEBHERR LTM 1300/1



General Information
Hydraulic Truck Cranes
Crawler Cranes
Carry Decks
Rough Terrain Cranes
Rigging Equipment
Aerial Lifts
Transportation


151-197 ft


69 ft


192,500 lbs


29'x27'11"


360°

85
85%

ft	151			168			185			197			ft
	0°	20°	40°	0°	20°	40°	0°	20°	40°	0°	20°	40°	
40	25.7			25.7									40
45	25.7			25.7									45
50	25.7			25.7			25.2						50
55	25.7			25.7			24.8			23.6			55
60	25.7	20.9		25.7			24.3			23.2			60
65	25.7	20.2		25.4			23.9			22.8			65
70	25.4	19.6		24.8	19.2		23.3			22.4			70
75	24.7	19		24	18.7		22.6	18.1		21.8			75
80	23.9	18.5	14.8	23.3	18.2		22	17.6		21.3	17.3		80
85	23.1	18	14.5	22.6	17.8		21.4	17.2		20.8	16.9		85
90	22.3	17.5	14.3	21.9	17.3	14.2	20.9	16.9		20.3	16.5		90
95	21.6	17	14	21.3	16.9	13.9	20.4	16.5	13.7	19.9	16.2	13.6	95
100	20.9	16.6	13.7	20.7	16.5	13.7	19.9	16.1	13.5	19.4	15.9	13.4	100
105	20.3	16.3	13.4	20.1	16.2	13.4	19.4	15.8	13.3	18.9	15.5	13.2	105
110	19.7	15.9	13.1	19.5	15.8	13.2	19	15.5	13	18.5	15.3	12.9	110
115	19.1	15.4	12.9	19	15.5	12.9	18.5	15.2	12.8	18.1	15	12.7	115
120	18.6	14.9	12.7	18.5	15.1	12.7	18	14.9	12.6	17.7	14.7	12.5	120
125	18	14.5	12.4	18	14.8	12.5	17.6	14.6	12.4	17.3	14.5	12.4	125
130	17.5	14.2	12.3	17.6	14.4	12.3	17.2	14.3	12.3	16.9	14.2	12.2	130
135	17	13.8	12.1	17.1	14	12.2	16.8	13.9	12.1	16.6	13.9	12.1	135
140	16.5	13.5	11.9	16.7	13.7	12	16.4	13.6	12	16.2	13.6	11.9	140
145	16	13.2	11.8	16.3	13.3	11.8	16.1	13.3	11.8	15.8	13.3	11.8	145
150	15.4	12.9	11.7	15.9	13.1	11.7	15.7	13.1	11.7	15.3	13.1	11.7	150
155	14.9	12.7	11.6	15.4	12.9	11.6	15.3	12.9	11.6	14.8	12.8	11.6	155
160	14.5	12.4	11.5	14.9	12.6	11.6	14.9	12.7	11.5	14.4	12.6	11.5	160
165	14.2	12.1	11.5	14.5	12.4	11.5	14.5	12.5	11.5	13.9	12.4	11.4	165
170	13.8	11.9	11.4	14.2	12.2	11.5	14.1	12.3	11.4	13.5	12.2	11.3	170
175	13.5	11.6	11.4	13.8	12	11.5	13.7	12.1	11.4	13.1	12	11.3	175
180	13.1	11.5	11.4	13.4	11.8	11.4	13.3	12	11.4	12.7	11.9	11.3	180
185	12.8	11.4	11.4	13.1	11.6	11.4	12.8	11.8	11.4	12.3	11.7	11.3	185
190	12.5	11.4	11.4	12.8	11.4	11.4	12.5	11.6	11.4	11.7	11.6	11.3	190
195	12.2	11.4		12.5	11.4	11.4	12.2	11.4	11.4	11.2	11.3	11.3	195
200	11.9	11.4		12.2	11.4	11.4	11.8	11.4	11.4	10.6	11	11.2	200
205				12	11.4		11.3	11.3	11.4	10.1	10.7	11	205
210				11.8	11.4		10.9	11.1	11.4	9.6	10.1	10.7	210
215				11.3	11.4		10.5	10.7	10.9	9.2	9.8	10.1	215
220				10.7			10	10.2	10.4	8.9	9.4	9.6	220
225							9.6	9.7		8.5	9	9.1	225
230							9.1	9.3		8.2	8.5		230
235							8.7	8.8		7.8	8.1		235
240										7.5	7.8		240
245										7.1	7.4		245

All information given are for reference only.

All information given are for reference only.

General Information

Hydraulic Truck Cranes

Crawler Cranes


Carry Decks

Rough Terrain Cranes

Rigging Equipment

Aerial Lifts

Transportation



360 t All Terrain Crane

LIEBHERR LTM 1300/1



General Information


168-197 ft


40 ft


247,500 lbs


29'x27'11"


360°

85
85%

Hydraulic Truck Cranes

Crawler Cranes

Carry Decks

Rough Terrain Cranes

Rigging Equipment

Aerial Lifts

Transportation

ft	0°	168 20°	40°	0°	185 20°	40°	0°	197 20°	40°	ft
40	50.9									40
45	50.9									45
50	50.9			48.2			42.4			50
55	50.9	40.7		47.4	39.6		41.7			55
60	50.9	39.1	27.8	46.5	38.2		41	37.2		60
65	50.9	37.7	27.2	45.5	37		40.3	36.1		65
70	50.9	36.4	26.6	44.5	35.9	26.5	39.6	35.1	26.3	70
75	50.2	35.2	26.1	43.7	34.9	26	38.8	34.2	25.9	75
80	49	34.1	25.6	42.8	33.8	25.6	38.1	33.3	25.4	80
85	47.8	33	25.2	42.1	32.9	25.2	37.3	32.5	25.1	85
90	46.4	32.1	24.8	41.3	32	24.8	36.6	31.6	24.7	90
95	44.8	31.2	24.4	40.6	31.2	24.4	35.9	30.9	24.3	95
100	43	30.3	24	39.9	30.4	24.1	35.1	30.1	24	100
105	41.3	29.5	23.7	39.1	29.6	23.8	34.4	29.4	23.7	105
110	39.8	28.7	23.3	38.4	28.9	23.5	33.7	28.8	23.4	110
115	38.3	28	23	37.5	28.3	23.2	33.1	28.2	23.1	115
120	36.8	27.4	22.8	36.4	27.7	22.9	32.5	27.6	22.9	120
125	35.4	26.8	22.6	35.3	27.1	22.7	31.8	27	22.6	125
130	34.1	26.2	22.4	34.3	26.6	22.5	31.3	26.5	22.4	130
135	32.8	25.7	22.2	33.3	26.1	22.3	30.7	26	22.3	135
140	31.7	25.2	22	32.3	25.6	22.2	30.1	25.5	22.1	140
145	30.7	24.7	22	31.4	25.1	22	29.6	25.1	21.9	145
150	29.5	24.3	22	30.3	24.6	21.8	29.1	24.7	21.8	150
155	28.5	24	21.9	28.6	24.3	21.8	28.1	24.3	21.7	155
160	27.7	23.6	21.9	26.9	24	21.8	26.6	24	21.6	160
165	26.7	23.3	21.8	25.2	23.7	21.8	25	23.7	21.6	165
170	25.3	23	21.8	23.6	23.4	21.8	23.4	23.4	21.6	170
175	23.9	22.6	21.8	22.1	22.7	21.8	21.9	22.6	21.6	175
180	22.5	22.3		20.7	21.6	21.4	20.5	21.5	21.3	180
185	21.2	21.7		19.4	20.2	20.5	19.2	20.1	20.5	185
190	19.9	20.3		18.1	18.8	19.1	17.9	18.7	19.1	190
195				16.9	17.5		16.7	17.4	17.8	195
200				15.8	16.3		15.5	16.2	16.5	200
205				14.7	15.1		14.4	15		205
210							13.4	13.9		210
215							12.4	12.8		215
220							11.4			220

All information given are for reference only.


 168-197 ft


 69 ft


 247,500 lbs


 29'x27'11"


 360°

85
 85%

All information given are for reference only.

ft	168			185			197			ft
	0°	20°	40°	0°	20°	40°	0°	20°	40°	
40	25.7									40
45	25.7									45
50	25.7			25.3						50
55	25.7			24.9			23.6			55
60	25.7			24.5			23.2			60
65	25.7			24.2			22.9			65
70	25.3	19.6		23.7			22.6			70
75	24.7	19.1		23.2	18.6		22.2			75
80	24.1	18.7		22.7	18.2		21.8	17.7		80
85	23.4	18.2		22.1	17.8		21.4	17.4		85
90	22.8	17.8	14.3	21.6	17.4		21	17		90
95	22.2	17.4	14.1	21.1	17.1	13.9	20.6	16.7	13.7	95
100	21.7	17	13.9	20.7	16.8	13.7	20.1	16.4	13.6	100
105	21.1	16.6	13.7	20.3	16.4	13.6	19.7	16.1	13.4	105
110	20.5	16.3	13.5	19.8	16.1	13.4	19.2	15.8	13.2	110
115	19.9	16	13.4	19.4	15.8	13.3	18.8	15.5	13.1	115
120	19.4	15.6	13.2	18.9	15.5	13.1	18.4	15.2	13	120
125	18.9	15.3	13.1	18.5	15.2	13	18	15	12.9	125
130	18.4	15	12.9	18	14.9	12.8	17.6	14.7	12.7	130
135	17.9	14.8	12.8	17.6	14.7	12.7	17.3	14.5	12.6	135
140	17.5	14.5	12.6	17.2	14.4	12.6	16.9	14.2	12.5	140
145	17	14.2	12.4	16.9	14.1	12.6	16.6	14	12.4	145
150	16.6	14	12.2	16.5	14	12.4	16.2	13.8	12.3	150
155	16.2	13.9	12.1	16.1	13.8	12.3	15.9	13.6	12.3	155
160	15.8	13.7	12.1	15.8	13.7	12.2	15.6	13.4	12.2	160
165	15.5	13.5	12	15.4	13.5	12.1	15.3	13.3	12.1	165
170	15.2	13.3	11.9	15.1	13.3	12	15	13.1	12	170
175	14.9	13.2	11.8	14.9	13.2	11.9	14.7	13	11.9	175
180	14.6	13	11.8	14.7	13	11.8	14.5	12.9	11.9	180
185	14.3	12.9	11.8	14.4	12.9	11.8	14.3	12.7	11.8	185
190	14.1	12.9	11.8	14.2	12.8	11.8	14.1	12.7	11.8	190
195	13.8	12.8	11.8	14	12.8	11.8	14	12.6	11.7	195
200	13.7	12.7	11.8	13.8	12.8	11.8	13.8	12.6	11.7	200
205	13.5	12.6		13.6	12.7	11.8	13.6	12.5	11.7	205
210	13.4	12.4		13.4	12.7	11.8	13.4	12.4	11.7	210
215	13.2	12.4		13.3	12.6	11.8	13.3	12.4	11.7	215
220	13			12.8	12.5	11.8	12.7	12.4	11.7	220
225				12.1	12.3		11.7	12.3	11.7	225
230				11.1	11.9		10.8	11.8		230
235				10.3	10.9		10	10.8		235
240							9.3	9.9		240
245							8.8	9.2		245

General Information

Hydraulic Truck Cranes

Crawler Cranes

Carry Decks

Rough Terrain Cranes

Rigging Equipment

Aerial Lifts

Transportation

General Information

Hydraulic Truck Cranes

Crawler Cranes


Carry Decks

Rough Terrain Cranes

Rigging Equipment

Aerial Lifts

Transportation



All information given are for reference only.



All information given are for reference only.

ft	57	69	92	115	49* 138	161	184	207	230	ft
30	170									30
32	165									32
34	160	150								34
36	156	146								36
38	152	142								38
40	148	139	118							40
45	140	131	114							45
50	135	125	110	90.5						50
55	124	119	106	88.5	71.5					55
60		114	102	86.5	70.5					60
65		108	98.5	84.5	69.5					65
70		91	94	82	68	54.8				70
75			88.5	80	67	54.3	42			75
80			82	77.5	65.5	53.4	42	31.5		80
85			74.5	74	64.5	52.4	42	31.5		85
90			63.5	70	63	51.2	41.7	31.5	23.3	90
95				66	61.5	50	41	31.5	22.8	95
100				62	59.4	48.9	40.2	31.4	22.3	100
105				57.5	56.3	47.7	39.2	31.1	21.8	105
110				49.9	53.3	46.7	38.3	30.6	21.4	110
115					50.6	45.7	37.5	30.2	20.9	115
120					48.3	44.6	36.6	29.7	20.5	120
125					45.9	43.5	35.8	29.1	20.1	125
130					41.6	41.4	35.1	28.5	19.7	130
135					36.9	39.5	34.3	27.8	19.3	135
140						37.9	33.6	27.2	19	140
145						36.3	32.9	26.6	18.6	145
150						34.3	32.3	26	18.4	150
155						30.6	31.2	25.6	18.1	155
160							30.1	25.3	17.9	160
165							29.1	25.2	17.7	165
170							28	25	17.6	170
175							25.6	24.8	17.5	175
180								24.4	17.4	180
185								23.6	17.1	185
190								22.9	16.6	190
195								21.4	16	195
200								19.2	15.5	200
205									15	205
210									14.5	210
215									14.1	215
220									13.6	220

* + 13 ft adapter

General Information

Hydraulic Truck Cranes

Crawler Cranes

Carry Decks

Rough Terrain Cranes

Rigging Equipment

Aerial Lifts

Transportation

360 t All Terrain Crane

LIEBHERR LTM 1300/1



General Information



83 ft
82°



57-230 ft



192,500 lbs



29'x27'11"



360°

85

85%

Hydraulic Truck Cranes

Crawler Cranes

Carry Decks

Rough Terrain Cranes

Rigging Equipment

Aerial Lifts

Transportation

ft	57	69	92	115	83*	138	161	184	207	230	ft
34	133										34
36	133										36
38	133										38
40	133	112									40
45	133	111									45
50	131	111	88.5								50
55	125	111	87.5	68							55
60	115	110	86.5	68	53.3						60
65	105	105	85	68	53.3						65
70		97.5	83.5	67	53.3	41					70
75			82	66	53.2	41	31				75
80			80.5	65	52.8	41	31				80
85			78	64	52	41	31				85
90			73.5	63	51.2	41	31	24.1			90
95			66.5	62	50.3	40.9	31	24.1	17.6		95
100				61	49.4	40.5	31	24.1	17.6		100
105				60	48.4	39.7	31	24.1	17.6		105
110				57.5	47.5	38.9	31	24.1	17.6		110
115				52.8	46.7	38.1	30.8	24.1	17.6		115
120					45.9	37.4	30.4	24.1	17.6		120
125					45.1	36.7	29.8	24.1	17.4		125
130					44.3	36	29.2	23.7	17.1		130
135					42.5	35.4	28.6	23.3	16.8		135
140						34.8	28.1	22.8	16.6		140
145						34.3	27.5	22.4	16.3		145
150						33.8	27	22	16.1		150
155						33.4	26.6	21.7	15.8		155
160						31.4	26.3	21.4	15.7		160
165							26.2	21.1	15.6		165
170							26	20.9	15.5		170
175							25.8	20.7	15.4		175
180							25.6	20.6	15.3		180
185								20.5	15.3		185
190								20.4	15.2		190
195								20.4	15.2		195
200								20.4	15		200
205								19.6	14.7		205
210									14.2		210
215									13.8		215
220									13.5		220
225									13.2		225

* + 13 ft adapter

All information given are for reference only.



All information given are for reference only.

ft	57	69	92	115	117*	138	161	184	207	230	ft
40	91.5										40
45	91.5										45
50	91.5	78.5									50
55	90.5	78.5	61.5								55
60	88.5	78.5	61.5	48.2							60
65	85.5	78.5	61.5	48.2							65
70		77	61.5	48.2	37.5						70
75		75	61.5	48.2	37.5	28.3					75
80			60.5	48.2	37.5	28.3					80
85			60	48.2	37.5	28.3					85
90			59.4	47.7	37.5	28.3	22				90
95			59	47.2	37.5	28.3	22	16.1			95
100				46.7	37.5	28.3	22	16.1	11.3		100
105				46.3	37.5	28.3	22	16.1	11.3		105
110				45.8	37.2	28.3	22	16.1	11.3		110
115				45.4	36.7	28.3	22	16.1	11.3		115
120				45	36.3	28.3	22	16.1	11.3		120
125					35.8	28.3	22	16.1	11.3		125
130					35.3	28.2	22	16.1	11.3		130
135					34.9	27.9	22	16.1	11.3		135
140					34.6	27.5	21.9	16.1	11.3		140
145						27.1	21.8	16.1	11.3		145
150						26.7	21.4	16.1	11.3		150
155						26.4	21	16.1	11.3		155
160						26.2	20.8	16.1	11.3		160
165						26.2	20.6	16.1	11.3		165
170						26.2	20.4	16.1	11.3		170
175							20.4	16	11.3		175
180							20.4	15.9	11.3		180
185							20.4	15.8	11.3		185
190							20.4	15.8	11.3		190
195								15.8	11.3		195
200								15.8	11.3		200
205								15.8	11.3		205
210									11.3		210
215									11.3		215
220									11.3		220
225									11.3		225
230									11.3		230
235									11.3		235

* + 13 ft adapter

General Information

Hydraulic Truck Cranes

Crawler Cranes

Carry Decks

Rough Terrain Cranes

Rigging Equipment

Aerial Lifts

Transportation

360 t All Terrain Crane

LIEBHERR LTM 1300/1



General Information



151 ft
82°



57-230 ft



192,500 lbs



29'x27'11"



360°

85

85%

Hydraulic Truck Cranes

Crawler Cranes

Carry Decks

Rough Terrain Cranes

Rigging Equipment

Aerial Lifts

Transportation

ft	57	69	92	115	151*	138	161	184	207	230	ft
55	55.2	47.2									55
60	55.2	47.2	35.7								60
65	55.2	47.2	35.7								65
70	55.2	47.2	35.7	26.7							70
75		47.2	35.7	26.7	20						75
80		47.2	35.7	26.7	20	14.6					80
85		47.2	35.7	26.7	20	14.6					85
90			35.7	26.7	20	14.6					90
95			35.7	26.7	20	14.6	10.1				95
100			35.7	26.7	20	14.6	10.1	6.8			100
105				26.7	20	14.6	10.1	6.8	4		105
110				26.7	20	14.6	10.1	6.8	4		110
115				26.7	20	14.6	10.1	6.8	4		115
120				26.7	20	14.6	10.1	6.8	4		120
125				26.7	20	14.6	10.1	6.8	4		125
130				26.7	20	14.6	10.1	6.8	4		130
135					20	14.6	10.1	6.8	4		135
140					20	14.6	10.1	6.8	4		140
145					20	14.6	10.1	6.8	4		145
150					20	14.6	10.1	6.8	4		150
155						14.6	10.1	6.8	4		155
160						14.6	10.1	6.8	4		160
165						14.6	10.1	6.8	4		165
170						14.6	10.1	6.8	4		170
175							10.1	6.8	4		175
180							10.1	6.8	4		180
185							10.1	6.8	4		185
190							10.1	6.8	4		190
195							10.1	6.8	4		195
200								6.8	4		200
205								6.8	4		205
210								6.8	4		210
215								6.8	4		215
220									4		220
225									4		225
230									4		230
235									4		235

* + 13 ft adapter

All information given are for reference only.


 185 ft
82°


57-184 ft



192,500 lbs



29'x27'11"



360°

85

85%

General Information

Hydraulic Truck Cranes

Crawler Cranes

Carry Decks

Rough Terrain Cranes

Rigging Equipment

Aerial Lifts

Transportation

All information given are for reference only.

ft	57	69	92	185* 115	138	161	184	ft
60	33.2	28.5						60
65	33.2	28.5						65
70	33.2	28.5	20.7					70
75	33	28.5	20.7	15				75
80		28.5	20.7	15				80
85		28.5	20.7	15				85
90		28.3	20.7	15	10.7			90
95			20.7	15	10.7	7.2		95
100			20.7	15	10.7	7.2	4.3	100
105			20.7	15	10.7	7.2	4.3	105
110			20.7	15	10.7	7.2	4.3	110
115				15	10.7	7.2	4.3	115
120				15	10.7	7.2	4.3	120
125				15	10.7	7.2	4.3	125
130				15	10.7	7.2	4.3	130
135					10.7	7.2	4.3	135
140					10.7	7.2	4.3	140
145					10.7	7.2	4.3	145
150					10.7	7.2	4.3	150
155					10.7	7.2	4.3	155
160						7.2	4.3	160
165						7.2	4.3	165
170						7.2	4.3	170
175						7.2	4.3	175
180							4.3	180
185							4.3	185
190							4.3	190
195							4.3	195

* + 13 ft adapter

General Information

Hydraulic Truck Cranes

Crawler Cranes


Carry Decks

Rough Terrain Cranes

Rigging Equipment

Aerial Lifts

Transportation



All information given are for reference only.



General Information

Hydraulic Truck Cranes

Crawler Cranes

Carry Decks

Rough Terrain Cranes

Rigging Equipment

Aerial Lifts

Transportation

All information given are for reference only.

ft	57	69	92	115	49* 138	161	184	207	230	ft
50	128									50
55	121	116								55
60	114	109	100							60
65	105	104	95.5							65
70		97	92							70
75		90.5	88	78.5						75
80			83.5	76	64.5					80
85			78.5	73.5	63					85
90			74	71	62					90
95			69.5	68	60.5	50.4				95
100			63.5	64.5	59.3	49.6	40.5			100
105				61	57.9	48.7	40.5			105
110				57.9	56.5	47.9	39.9			110
115				54.9	54.1	47.2	39.3	29.9		115
120				51.3	51.4	46.5	38.7	29.7		120
125					48.9	46	38.2	29.3	20.2	125
130					46.6	45.2	37.7	29	19.8	130
135					44.5	43.5	37.2	28.6	19.4	135
140					42.1	41.6	36.8	28.3	19.1	140
145					38.8	39.7	36.4	27.9	18.8	145
150					33.1	38.1	35.9	27.6	18.5	150
155						36.4	35.1	27.4	18.3	155
160						34.9	33.9	27.3	18.1	160
165						33.1	32.5	27.1	17.9	165
170						29	31.2	26.9	17.8	170
175							30	26.8	17.6	175
180							28.9	26.6	17.4	180
185							27.4	26.3	17.2	185
190							24.8	25.7	17	190
195							21.5	24.7	16.9	195
200								23.8	16.5	200
205								22.7	15.9	205
210								21.2	15.3	210
215								18.6	14.8	215
220									14.3	220
225									13.8	225
230									13.5	230
235									13.3	235

* + 13 ft adapter

360 t All Terrain Crane

LIEBHERR LTM 1300/1



General Information



83 ft
74°



57-230 ft



192,500 lbs



29'x27'11"



360°

85

85%

Hydraulic Truck Cranes

Crawler Cranes

Carry Decks

Rough Terrain Cranes

Rigging Equipment

Aerial Lifts

Transportation

ft	83*									ft
	57	69	92	115	138	161	184	207	230	
60	107	106								60
65	98.5	98								65
70	91.5	91								70
75	85	84.5	82							75
80		78.5	77.5							80
85		73.5	72.5							85
90		69	68	65.5						90
95			63.5	62.5	51.8					95
100			60	59	51.8					100
105			56.7	55.6	51.8	39.8				105
110			53.7	52.7	50.8	39.8				110
115				49.9	48.7	39.8	29.7			115
120				47.5	46.2	39.8	29.7			120
125				45.1	43.9	39.8	29.7	22.8		125
130				43	41.8	39.8	29.7	22.8		130
135					39.9	38.8	29.7	22.8	16.5	135
140					38.1	37.3	29.7	22.8	16.5	140
145					36.4	35.6	29.7	22.8	16.4	145
150					34.9	34.1	29.7	22.8	16.1	150
155					33.5	32.6	29.7	22.8	15.9	155
160						31.3	29.3	22.8	15.8	160
165						30	28.5	22.8	15.7	165
170						28.8	27.3	22.8	15.6	170
175						27.7	26.2	22.8	15.5	175
180							25.2	22.8	15.4	180
185							24.1	22.7	15.3	185
190							23.2	22.3	15.2	190
195							22.3	21.5	15.1	195
200							21.5	20.6	15	200
205								19.8	14.9	205
210								19	14.8	210
215								18.3	14.6	215
220								17.6	14.4	220
225									14.1	225
230									13.7	230
235									13.5	235
240									13.3	240
245									13	245

* + 13 ft adapter

All information given are for reference only.



85
85%

All information given are for reference only.

ft	57	69	92	115	117*	138	161	184	207	230	ft
75	72	69.5									75
80	68.5	66.5									80
85	65.5	63.5									85
90		61	56.3								90
95		58.4	54.4	46.6							95
100			52.5	46.5							100
105			50.6	46.1	35.9						105
110			48.4	44.8	35.9						110
115			46.1	43.6	35.9						115
120				42.2	35.9	27.1					120
125				40.6	35.9	27.1	20.7				125
130				38.7	35.9	27.1	20.7				130
135				36.9	35.2	27.1	20.7				135
140				35.2	33.9	27.1	20.7	15			140
145					32.4	27.1	20.7	15	10.4		145
150					30.9	27.1	20.7	15	10.4		150
155					29.6	27.1	20.7	15	10.4		155
160					28.4	26.8	20.7	15	10.4		160
165						26	20.7	15	10.4		165
170						24.9	20.7	15	10.4		170
175						23.9	20.7	15	10.4		175
180						22.9	20.7	15	10.4		180
185						22	20.5	15	10.4		185
190							21.2	19.8	15	10.4	190
195								19	15	10.4	195
200								18.2	15	10.4	200
205								17.5	15	10.4	205
210									15	10.4	210
215									14.6	10.4	215
220									14.1	10.4	220
225									13.4	10.4	225
230									12.9	10.4	230
235									12.3	10.4	235
240										10.1	240
245										9.7	245
250										9.4	250
255										9.1	255

* + 13 ft adapter

General Information

Hydraulic Truck Cranes

Crawler Cranes

Carry Decks

Rough Terrain Cranes

Rigging Equipment

Aerial Lifts

Transportation

360 t All Terrain Crane

LIEBHERR LTM 1300/1



General Information



151 ft
74°



57-230 ft



192,500 lbs



29'x27'11"



360°

85

85%

Hydraulic Truck Cranes

Crawler Cranes

Carry Decks

Rough Terrain Cranes

Rigging Equipment

Aerial Lifts

Transportation

ft	57	69	92	115	151*	161	184	207	230	ft
90	44.7				138					90
95	42.9	41.3								95
100		39.7	35.3							100
105			34.7							105
110			33.7							110
115			32.6	26.7						115
120			31.5	26.7	19.9					120
125			30.5	26.7	19.9					125
130			29.8	26.4	19.9					130
135				25.8	19.9	14.4				135
140				25.1	19.9	14.4	9.8			140
145				24.4	19.9	14.4	9.8			145
150				23.7	19.9	14.4	9.8			150
155					19.9	14.4	9.8	6.5		155
160					19.8	14.4	9.8	6.5		160
165					19.6	14.4	9.8	6.5	3.8	165
170					19.1	14.4	9.8	6.5	3.8	170
175					18.8	14.4	9.8	6.5	3.8	175
180						14.4	9.8	6.5	3.8	180
185						14.4	9.8	6.5	3.8	185
190						14.4	9.8	6.5	3.8	190
195						14.4	9.8	6.5	3.8	195
200							9.8	6.5	3.8	200
205							9.8	6.5	3.8	205
210							9.8	6.5	3.8	210
215							9.8	6.5	3.8	215
220							9.8	6.5	3.8	220
225								6.5	3.8	225
230								6.5	3.8	230
235								6.5	3.8	235
240								6.5	3.8	240
245									3.8	245
250									3.8	250
255									3.8	255
260									3.8	260
265									3.8	265

* + 13 ft adapter

All information given are for reference only.



General Information

Hydraulic Truck Cranes

Crawler Cranes

Carry Decks

Rough Terrain Cranes

Rigging Equipment

Aerial Lifts

Transportation

All information given are for reference only.

ft	57	69	92	185* 115	138	161	184	ft
100	26.2							100
105		23.2						105
110		22.3						110
115		21.5	18.6					115
120			17.9					120
125			17.4	14.3				125
130			16.8	13.9				130
135			16.2	13.4				135
140				13	10.4			140
145				12.5	10	7.2		145
150				12.1	9.7	7.2		150
155				11.7	9.3	7.2		155
160				11.3	9	7.1	4.3	160
165					8.7	7	4.3	165
170					8.5	6.8	4.3	170
175					8.2	6.6	4.3	175
180					8	6.4	4.3	180
185						6.2	4.3	185
190						6	4.3	190
195						5.8	4.1	195
200						5.7	4	200
205						5.5	3.8	205
210							3.7	210
215							3.5	215
220							3.4	220
225							3.3	225

* + 13 ft adapter

360 t All Terrain Crane

LIEBHERR LTM 1300/1



General Information

Hydraulic Truck Cranes

Crawler Cranes


Carry Decks

Rough Terrain Cranes

Rigging Equipment

Aerial Lifts

Transportation



All information given are for reference only.



117 ft
66°



69-230 ft



247,500 lbs



29'x27'11"



360°

85

85%

All information given are for reference only.

ft	69	92	115	138	161	184	207	230	ft
100	57.1								100
105	54								105
110	51.3								110
115	48.8	47.1							115
120		44.8							120
125		42.6	41.5						125
130		40.7	39.5						130
135		38.9	37.7						135
140			36.1	34					140
145			34.5	33.1					145
150			33.1	31.7					150
155			31.7	30.3	25.8				155
160			30.5	29.1	25.8				160
165				27.9	25.8	19.8			165
170				26.8	25.4	19.8			170
175				25.8	24.5	19.8			175
180				24.8	23.5	19.8	14.6		180
185					22.6	19.8	14.6		185
190					21.7	19.8	14.6		190
195					20.9	19.3	14.6	10.2	195
200					20.1	18.7	14.6	10.2	200
205					19.3	17.9	14.6	10.2	205
210						17.2	14.6	10.2	210
215						16.5	14.6	10.2	215
220						15.8	14.3	10.2	220
225						15.2	13.7	10.2	225
230							13.1	10.2	230
235							12.5	10.2	235
240							12	10	240
245							11.4	9.8	245
250							10.9	9.4	250
255							10.5	9.1	255
260								8.8	260
265								8.5	265
270								8.2	270
275								8	275

* + 13 ft adapter

General Information

Hydraulic Truck Cranes

Crawler Cranes

Carry Decks

Rough Terrain Cranes

Rigging Equipment

Aerial Lifts

Transportation

360 t All Terrain Crane

LIEBHERR LTM 1300/1



General Information
Hydraulic Truck Cranes
Crawler Cranes
Carry Decks
Rough Terrain Cranes
Rigging Equipment
Aerial Lifts
Transportation



151-185 ft
66°



69-230 ft



247,500 lbs



29'x27'11"



360°

85

85%

ft	151*								185*						ft
	69	92	115	138	161	184	207	230	69	92	115	138	161	184	
115	39.2														115
120	39.2														120
125	39.1	30.8													125
130	37.7	30.7													130
135		30.6							21.2						135
140		30.6	24.1						21.1						140
145		30.5	24							16.3					145
150		29.9	23.9							16.2					150
155			23.9	18.5						16.1					155
160			23.9	18.5						16	11.9				160
165			23.9	18.5							11.9				165
170			23.9	18.5							11.9				170
175			23.3	18.5	13.7						11.9	8.5			175
180				18.5	13.7						11.9	8.5			180
185				18.5	13.7	9.4					11.9	8.5			185
190				18.5	13.7	9.4					11.9	8.5			190
195				18.3	13.7	9.4						8.5	6.1		195
200					13.7	9.4	6.2					8.5	6.1		200
205					13.7	9.4	6.2					8.5	6.1	3.7	205
210					13.7	9.4	6.2	3.5					6.1	3.7	210
215					13.7	9.4	6.2	3.5					6.1	3.7	215
220					13.6	9.4	6.2	3.5					6.1	3.7	220
225						9.4	6.2	3.5					6.1	3.7	225
230						9.4	6.2	3.5					6.1	3.7	230
235						9.4	6.2	3.5					6.1	3.7	235
240						9.4	6.2	3.5						3.7	240
245							6.2	3.5						3.7	245
250							6.2	3.5						3.7	250
255							6.2	3.5						3.7	255
260							6.2	3.5							260
265							6.2	3.5							265
270								3.5							270
275								3.5							275
280								3.5							280
285								3.5							285

* + 13 ft adapter

All information given are for reference only.