




Versa Lift 115/140



Specifications	
Load capacity retracted	85,000 lbs @ 36"
Load capacity extended	115,000 lbs @ 36"
Load capacity extended	140,000 lbs @ 24"
Drive	Hydrostatic
Tires front	42x25x30 poly
Tires rear	36x14x30 poly
Weight total	120,000 lbs
Weight boom	13,000 lbs
Weight forks	5,100 lbs
Counterweight	42,300 lbs



All information given are for reference only.

General Information

Hydraulic Truck Cranes

Crawler Cranes

Carry Decks

Rough Terrain Cranes

Rigging Equipment

Aerial Lifts

Transportation

100/140 Versa Lift with 9 counterweight slabs 4,700 lbs each
Standard wheel base 126 inch

in	Boom only					in
	0*	12*	24*	36*	48*	
8	91.2	100.2	109.2	118.2	127.2	8
16	81.5	89.5	97.6	105.7	113.7	16
24	73.5	80.9	88.2	95.5	102.8	24
32	67	73.7	80.4	87.1	93.8	32
40	61.4	67.6	73.8	79.9	86.1	40
48	56.7	62.4	68.1	73.9	79.6	48
56	52.6	57.9	63.3	68.6	73.9	56
64	49	54	59	64	69	64
72	46	50.7	55.4	60.1	64.8	72
80	43.3	47.7	52.2	56.6	61	80
88	40.9	45.1	49.3	53.5	57.7	88
96	38.7	42.7	46.7	50.7	54.7	96
102	37.3	41.1	44.9	48.8	52.6	102
112	35	38.6	42.2	45.9	49.5	112
120	33.4	36.8	40.3	43.8	47.2	120

* counterweight extension (inch)

in	Forks only					in
	0*	12*	24*	36*	48*	
24	101.7	111.4	121.1	130.7	140.4	24
36	85.8	94	102.2	110.4	118.5	36
48	74.3	81.3	88.4	95.5	102.6	48
60	65.4	71.7	77.9	84.1	90.4	60
72	58.5	64.1	69.6	75.2	80.8	72
84	52.9	57.9	62.9	68	73	84

* counterweight extension (inch)

in	Boom & Forks					in
	0*	12*	24*	36*	48*	
12	82	90.5	99	107.5	116	12
24	70.6	77.9	85.2	92.5	99.8	24
36	61.9	68.4	74.8	81.2	87.6	36
48	55.2	60.9	66.6	72.3	78.1	48
60	49.7	54.9	60.1	65.2	70.4	60
72	45.3	50	54.7	59.4	64.1	72

* counterweight extension (inch)

All information given are for reference only.

All information given are for reference only.

	General Information
	Hydraulic Truck Cranes
	Crawler Cranes
	Carry Decks
	Rough Terrain Cranes
	Rigging Equipment
	Aerial Lifts
	Transportation